


18 Attachment 30


Township of East Rockhill




PLAN



SAMPLE LOCATION MAP




NOTE: Use of U.S.G.S. quadrangle maps is recommended.



SECTION A - A

ENCASEMENT IN ACCORDANCE WITH ENGINEERING STANDARD



CONCRETE ENCASEMENT CROSS SECTION

GENERAL NOTES:

1. Property lines or easements should be indicated on plans.
2. Plans shall show complete dimensions.
3. Minimum of 3' of cover over utility line or encasement/sleeve/conduit except in rock where 1' of cover shall be provided.
4. Utility line shall be installed with sufficient horizontal length to allow for future channel expansion.
5. Manholes may not be constructed within the channel.
6. 5' denotes required Right of Way width.
7. Attach Location Map.

NOTES:

1. The above BDWM GP-5 Drawing 1 is provided for general reference. Refer to Section 203 for Encasement Specifications.
2. Refer to all applicable GP-5 requirements for necessary DER approvals.

EAST ROCKHILL TOWNSHIP SEWER STANDARDS

Not to Scale SCALE: 1/92 DATE:	STREAM CROSSING DETAIL Bureau of Dams and Waterway Management General Permit - 5 Drawing 1	S-30 DWG. No.
---	---	------------------