

# ROOFING REPLACEMENT

Permit required for more than 25% of roof replacement

**EAST ROCKHILL TOWNSHIP**  
1622 North Ridge Road, Perkasie, PA 18944  
215-257-9156 fax 215-257-1299  
[www.EastRockhillTownship.org](http://www.EastRockhillTownship.org)



Location: \_\_\_\_\_

Application Date: \_\_\_\_\_

Tax Parcel: 12- \_\_\_\_\_

Owner Name: \_\_\_\_\_

Contractor Name: \_\_\_\_\_

Street Address: \_\_\_\_\_

Address: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

City, State, Zip: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Fax No.: \_\_\_\_\_

Fax No.: \_\_\_\_\_

e-mail: \_\_\_\_\_

e-mail: \_\_\_\_\_

Owner **Signature:** \_\_\_\_\_

Contractor **Signature:** \_\_\_\_\_

By signing above, applicant certifies that all information given is correct and that all pertinent ordinances will be complied with in performing the work for which this permit is issued.

Estimated Cost \$ \_\_\_\_\_

Residential

Commercial


Type of Roof to be Installed (manufacturer's name, etc.): \_\_\_\_\_

Any portion of the roof decking being replaced?  Yes  No

If yes, what type and how thick? \_\_\_\_\_

Specify portion of roof to be repaired or replaced? \_\_\_\_\_

**COMPLETE numbers 1 through 7** with the applicable information.



1. Ice & Water Shield: \_\_\_\_\_  
(See "Ice Barrier" on page 2)

2. \_\_\_\_\_ # lbs Felt Paper

3. Sheathing: \_\_\_\_\_

4. Ridge Vent: \_\_\_\_\_

5. Penetrations/Flashing Material: \_\_\_\_\_

6. Pitch: \_\_\_\_\_

7. Shingle Type: \_\_\_\_\_  
(i.e. fiberglass, asphalt, metal)

**INSPECTIONS REQUIRED:**

- Prior to installation of finish roofing, check rated assemblies
- Final

\*\*\*\*Township Use\*\*\*\*

**APPROVED**

PERMIT No. \_\_\_\_\_ Date Issued: \_\_\_\_\_

*Building Code Official*

Fee \$ \_\_\_\_\_ Check No. \_\_\_\_\_ Cash \_\_\_\_\_

**Ice Barrier** consisting of at least two layers of underlayment cemented together or of a self-adhering polymer modified bitumen sheet, shall be used in lieu of normal underlayment and extend from the lowest edges of all roof surfaces to a point at least 24 inches (610 mm) inside the exterior wall line of the building.

*International Building Code*

---

# ARE YOU AWARE?

THIS SECTION OF THE INTERNATIONAL BUILDING CODE WAS ADOPTED BY THE STATE OF PENNSYLVANIA:

**1504.5 Edge securement for low-slope roofs.**

Low-slope built-up, modified bitumen and single-ply roof system metal edge securement, except gutters, shall be designed and installed for wind loads in accordance with Chapter 16 and tested for resistance in accordance with Test Methods RE-1, RE-2 and RE-3 of **ANSI/SPRI ES-1**, except  $V_{ult}$  wind speed shall be determined from Figure 1609A, 1609B, or 1609C as applicable.

*International Building Code*

**YOU SHOULD BE!**